Nuclear Engineering and Design 138 (1992) 415–417
North-Holland

Author Index to Volume 138

Abdul-Razzak, A., M. Shoukri and A.M.C. Chan, Rewetting of hot horizontal tubes 138 (1992) 375
Abraham, T.J., see Ebadian, M.A. 138 (1992) 389
Aizawa, J., see Kusano, N. 138 (1992) 105
Anderson, Jr., C.E., J.D. Walker and G.E. Hauver, Target resistance for long-rod penetration into semi-infinite targets 138 (1992) 93
Aoyagi, T., see Kusano, N. 138 (1992) 105
Apostolakis, G., see Ho, V. 138 (1992) 357
A.Yu, , see Walker, S.P. 138 (1992) 403

Baba, K., see Hashimoto, Y. 138 (1992) 259
Belytschko, T., see Liu, W.K. 138 (1992) 1
Bigzadeh, E., see Ebadian, M.A. 138 (1992) 389

Chan, A.M.C., see Abdul-Razzak, A. 138 (1992) 375

Doi, Y., see Ueda, M. 138 (1992) 111

Ebadian, M.A., G. Yang, E. Bigzadeh, J.F. Walker and T.J. Abraham, Analysis of heat and mass transfer to determine heat loss and the rate of condensation of the MVSTs off-gas ducts 138 (1992) 389
Engelmann, B.E. and R.G. Whirley, Recent developments in NIKE2D for metalforming analysis and low rate impact 138 (1992) 23
Engelmann, B.E., see Whirley, R.G. 138 (1992) 11

Fenner, R.T., see Walker, S.P. 138 (1992) 403
Fujiwara, A., see Iriya, K. 138 (1992) 165
Fujiwara, A., see Saito, H. 138 (1992) 151
Fujiwara, Y., T. Maruya and E. Owaki, Degradation of concrete buried in soil with saline ground water 138 (1992) 143
Fukutomi, S., S. Yoshimura and J. Itoh, Experimental evaluation of an operator decision aid system for BWR power plants 138 (1992) 339

Gotoh, N., see Kanno, S. 138 (1992) 251

Hamilton, L.F.M., see Prij, J. 138 (1992) 203
Hara, K., see Sasaki, N. 138 (1992) 189
Harada, Y., see Kobayashi, A. 138 (1992) 225
Hasegawa, H., see Saito, H. 138 (1992) 135
Hasegawa, K., see Kanno, S. 138 (1992) 251
Hashimoto, Y., Y. Urabe, S. Masamori, Y. Kamiwaki and K. Baba, Procedure of crack shape determination by Reversing DC Potential Method 138 (1992) 259
Hauver, G.E., see Anderson, Jr., C.E. 138 (1992) 93
Ho, V. and G. Apostolakis, COMPBRN IIIe – a computer code for probabilistic fire risk analysis 138 (1992) 357
Hoshikawa, T., see Ishikawa, N. 138 (1992) 37
Hosoda, M., see Iriya, K. 138 (1992) 165

Iida, K., A review of fatigue failures in LWR plants in Japan 138 (1992) 297
Iida, T., see Ishikawa, N. 138 (1992) 37
Ikari, S., see Saito, H. 138 (1992) 151
Imazu, A., K. Iwata, Y. Wada and T. Nagata, Recent achievements at PNC in the development of high temperature structural design methods for FBR components 138 (1992) 269
Iriya, K., Y. Itoh, M. Hosoda, A. Fujiwara and Y. Tsuji, Experimental study on the water permeability of a reinforced concrete silo for radioactive waste repository 138 (1992) 165
Ishii, T., see Kinoshita, N. 138 (1992) 217
Ishikawa, H., see Sasaki, N. 138 (1992) 189
Ishikawa, N., T. Hoshikawa, S. Katsuki and T. Iida, Dynamic response of steel pipe arch under impact loading 138 (1992) 37
Itoh, J., see Fukutomi, S. 138 (1992) 339
Itoh, M., M. Katayama, H. Obata, K. Moriya and S. Murakami, Introduction of coupled thermomechanical equations into a hydrocode 138 (1992) 117
Itoh, Y., see Iriya, K. 138 (1992) 165
Iwata, K., see Imazu, A. 138 (1992) 269

Jacobs, F. and F.H. Wittmann, Long term behavior of concrete in nuclear waste repositories 138 (1992) 157
Jacobs, F., see Mayer, G. 138 (1992) 171
Johnson, G.R. and J.A. Schonhardt, Some parametric sensitivity analyses for high velocity impact computations 138 (1992) 75

Kamiwaki, Y., see Hashimoto, Y. 138 (1992) 259

Kanno, S., K. Hasegawa, T. Shimizu, T. Saitoh and N. Gotoh, Analysis of leak and break behavior in a failure assessment diagram for carbon steel pipes 138 (1992) 251
Katayama, M., see Itoh, M. 138 (1992) 117
Katori, T., see Yamauchi, K. 138 (1992) 239
Katsuki, S., see Ishikawa, N. 138 (1992) 37
Kikuchi, N., see Torigaki, T. 138 (1992) 53
Kimura, S., see Yamauchi, K. 138 (1992) 239
Kinoshita, N., T. Ishii, H. Kuroda and H. Tada, Prediction of permeability changes in an excavation response zone 138 (1992) 217
Kobayashi, A. and Y. Harada, A method for examining ground water flow and solute transport around a repository 138 (1992) 225
Kobayashi, N., see Kusano, N. 138 (1992) 105
Kuroda, H., see Kinoshita, N. 138 (1992) 217
Kusano, N., T. Aoyagi, J. Aizawa, H. Ueno, H. Morikawa and N. Kobayashi, Impulsive local damage analyses of concrete structures by the distinct element method 138 (1992) 105

Lee, G.D., see Lee, M. 138 (1992) 313
Lee, M. and G.D. Lee, Quantification of severe accidents source terms of BWR 4 reactor with Mark I containment using source term code package 138 (1992) 313
Liu, W.K., Yu-Kan Hu and T. Belytschko, ALE finite elements with hydrodynamic lubrication for metal forming 138 (1992) 1

Maki, Y. and H. Ohnuma, Application of concrete to the treatment and disposal of radioactive waste in Japan 138 (1992) 179
Maruya, T., see Fujiwara, Y. 138 (1992) 143
Masamori, S., see Hashimoto, Y. 138 (1992) 259
Matsumoto, N., see Ohno, T. 138 (1992) 45
Mayer, G., F. Jacobs and F.H. Wittmann, Experimental determination and numerical simulation of the permeability of cementitious materials 138 (1992) 171
Miura, N., see Shimakawa, T. 138 (1992) 283
Morikawa, H., see Kusano, N. 138 (1992) 105
Moriya, K., see Itoh, M. 138 (1992) 117
Murakami, S., see Itoh, M. 138 (1992) 117

Nagata, T., see Imazu, A. 138 (1992) 269
Nakane, S., see Saito, H. 138 (1992) 135
Nakane, S., see Saito, H. 138 (1992) 151
Nilsson, L. and Z.H. Zhong, High performance algorithms for the solution of general contact–impact problems 138 (1992) 65

Obata, H., see Itoh, M. 138 (1992) 117
Ohno, T., T. Uchida, N. Matsumoto and Y. Takahashi, Local damage of reinforced concrete slabs by impact of deformable projectiles 138 (1992) 45
Ohnuma, H., see Maki, Y. 138 (1992) 179
Otaki, M., see Ueda, M. 138 (1992) 111
Owaki, E., see Fujiwara, Y. 138 (1992) 143

Pihlajavaara, S.E., Estimation of the service life of concrete under different conditions with special reference to radioactive waste repositories 138 (1992) 127
Prij, J. and L.F.M. Hamilton, Thermo-mechanical analyses of the HAW testfield 138 (1992) 203

Saito, H., H. Hasegawa and S. Nakane, Alteration behavior of 67 years old tunnel lining concrete 138 (1992) 135
Saito, H., S. Nakane, S. Ikari and A. Fujiwara, Preliminary experimental study on the deterioration of cementitious materials by an acceleration method 138 (1992) 151
Saito, H., see Ueda, M. 138 (1992) 111
Saitoh, T., see Kanno, S. 138 (1992) 251
Sasaki, N., M. Yui, K. Hara, H. Ishikawa and T. Tsuboya, Studies on material properties and structural mechanics of engineered barriers for HLW geological isolation 138 (1992) 189
Schonhardt, J.A., see Johnson, G.R. 138 (1992) 75
Shimakawa, T., K. Take, M. Uno, S. Takamatsu, Y. Takahashi and N. Miura, Development of the evaluation method for crack propagation due to thermal striping 138 (1992) 283
Shimizu, T., see Kanno, S. 138 (1992) 251
Shindo, T., see Yamauchi, K. 138 (1992) 239
Shirai, T., see Ueda, M. 138 (1992) 111
Shoukri, M., see Abdul-Razzak, A. 138 (1992) 375
Sigehiro, K., see Yamauchi, K. 138 (1992) 239

Tada, H., see Kinoshita, N. 138 (1992) 217
Takahashi, Y., see Ohno, T. 138 (1992) 45
Takahashi, Y., see Shimakawa, T. 138 (1992) 283
Takamatsu, S., see Shimakawa, T. 138 (1992) 283
Take, K., see Shimakawa, T. 138 (1992) 283
Torigaki, T. and N. Kikuchi, Appropriate remeshing for finite element impact analysis with consideration of error and computing efficiency 138 (1992) 53
Tsuboya, T., see Sasaki, N. 138 (1992) 189
Tsuji, Y., see Iriya, K. 138 (1992) 165

Uchida, T., see Ohno, T. 138 (1992) 45
Ueda, M., T. Shirai, Y. Doi, M. Otaki and H. Saito, Application of an impact analysis code to reinforced concrete structures 138 (1992) 111
Ueno, H., see Kusano, N. 138 (1992) 105
Uno, M., see Shimakawa, T. 138 (1992) 283
Urabe, Y., see Hashimoto, Y. 138 (1992) 259

Wada, Y., see Imazu, A. 138 (1992) 269
Walker, J.D., see Anderson, Jr., C.E. 138 (1992) 93
Walker, J.F., see Ebadian, M.A. 138 (1992) 389
Walker, S.P., A.Yu and R.T. Fenner, Pellet–clad mechanical interaction: pellet–clad bond failure and strain relief 138 (1992) 403
Whirley, R.G. and B.E. Engelmann, Recent developments in DYNA3D for impact problems 138 (1992) 11
Whirley, R.G., see Engelmann, B.E. 138 (1992) 23
Wittmann, F.H., see Jacobs, F. 138 (1992) 157
Wittmann, F.H., see Mayer, G. 138 (1992) 171
Yamauchi, K., S. Kimura, T. Katori, K. Sigehiro and T. Shindo, Analysis of stress corrosion cracking life based on reaction model 138 (1992) 239
Yang, G., see Ebadian, M.A. 138 (1992) 389
Yoshimura, S., see Fukutomi, S. 138 (1992) 339
Yu-Kan Hu, , see Liu, W.K. 138 (1992) 1
Yui, M., see Sasaki, N. 138 (1992) 189

Zhong, Z.H., see Nilsson, L. 138 (1992) 65

Nuclear Engineering and Design 138 (1992) 419–420
North-Holland

Subject Index to Volume 138

Thermal and fluid design

Quantification of severe accidents source terms of BWR 4 reactor with Mark I containment using source term code package, M. Lee and G.D. Lee 138 (1992) 313
COMPBRN IIIe – a computer code for probabilistic fire risk analysis, V. Ho and G. Apostolakis 138 (1992) 357
Rewetting of hot horizontal tubes, A. Abdul-Razzak, M. Shoukri and A.M.C. Chan 138 (1992) 375
Analysis of heat and mass transfer to determine heat loss and the rate of condensation of the MVSTs off-gas ducts, M.A. Ebadian, G. Yang, E. Bigzadeh, J.F. Walker and T.J. Abraham 138 (1992) 389

Engineering mechanics

ALE finite elements with hydrodynamic lubrication for metal forming, W.K. Liu, Yu-Kan Hu and T. Belytschko 138 (1992) 1
Recent developments in DYNA3D for impact problems, R.G. Whirley and B.E. Engelmann 138 (1992) 11
Recent developments in NIKE2D for metal-forming analysis and low rate impact, B.E. Engelmann and R.G. Whirley 138 (1992) 23
Dynamic response of steel pipe arch under impact loading, N. Ishikawa, T. Hoshikawa, S. Katsuki and T. Iida 138 (1992) 37
Local damage of reinforced concrete slabs by impact of deformable projectiles, T. Ohno, T. Uchida, N. Matsumoto and Y. Takahashi 138 (1992) 45
Appropriate remeshing for finite element impact analysis with consideration of error and computing efficiency, T. Torigaki and N. Kikuchi 138 (1992) 53
High performance algorithms for the solution of general contact–impact problems, L. Nilsson and Z.H. Zhong 138 (1992) 65
Some parametric sensitivity analyses for high velocity impact computations, G.R. Johnson and J.A. Schonhardt 138 (1992) 75
Target resistance for long-rod penetration into semi-infinite targets, C.E. Anderson, Jr., J.D. Walker and G.E. Hauver 138 (1992) 93
Impulsive local damage analyses of concrete structures by the distinct element method, N. Kusano, T. Aoyagi, J. Aizawa, H. Ueno, H. Morikawa and N. Kobayashi 138 (1992) 105
Application of an impact analysis code to reinforced concrete structures, M. Ueda, T. Shirai, Y. Doi, M. Otaki and H. Saito 138 (1992) 111
Introduction of coupled thermomechanical equations into a hydrocode, M. Itoh, M. Katayama, H. Obata, K. Moriya and S. Murakami 138 (1992) 117
Analysis of stress corrosion cracking life based on reaction model, K. Yamauchi, S. Kimura, T. Katori, K. Sigehiro and T. Shindo 138 (1992) 239
Analysis of leak and break behavior in a failure assessment diagram for carbon steel pipes, S. Kanno, K. Hasegawa, T. Shimizu, T. Saitoh and N. Gotoh 138 (1992) 251
Recent achievements at PNC in the development of high temperature structural design methods for FBR components, A. Imazu, K. Iwata, Y. Wada and T. Nagata 138 (1992) 269
Development of the evaluation method for crack propagation due to thermal striping, T. Shimakawa, K. Take, M. Uno, S. Takamatsu, Y. Takahashi and N. Miura 138 (1992) 283
Pellet–clad mechanical interaction: pellet–clad bond failure and strain relief, S.P. Walker, A.Yu and R.T. Fenner 138 (1992) 403

Materials properties

Estimation of the service life of concrete under different conditions with special reference to radioactive waste repositories, S.E. Pihlajavaara 138 (1992) 127
Degradation of concrete buried in soil with saline ground water, Y. Fujiwara, T. Maruya and E. Owaki 138 (1992) 143
Preliminary experimental study on the deterioration of cementitious materials by an

acceleration method, H. Saito, S. Nakane, S. Ikari and A. Fujiwara 138 (1992) 151
Long term behavior of concrete in nuclear waste repositories, F. Jacobs and F.H. Wittmann 138 (1992) 157
Application of concrete to the treatment and disposal of radioactive waste in Japan, Y. Maki and H. Ohnuma 138 (1992) 179
Analysis of stress corrosion cracking life based on reaction model, K. Yamauchi, S. Kimura, T. Katori, K. Sigehiro and T. Shindo 138 (1992) 239
Recent achievements at PNC in the development of high temperature structural design methods for FBR components, A. Imazu, K. Iwata, Y. Wada, T. Nagata and Y. Yamagishi 138 (1992) 269

Mechanical design, component fabrication and testing

Procedure of crack shape determination by Reversing DC Potential Method, Y. Hashimoto, Y. Urabe, S. Masamori, Y. Kamiwaki and K. Baba 138 (1992) 259
A review of fatigue failures in LWR plants in Japan, K. Iida 138 (1992) 297

System control and controls

Experimental evaluation of an operator decision aid system for BWR power plants, S. Fukutomi, S. Yoshimura and J. Itoh 138 (1992) 339

Nuclear waste management and disposal

Estimation of the service life of concrete under different conditions with special reference to radioactive waste repositories, S.E. Pihlajavaara 138 (1992) 127
Alteration behavior of 67 years old tunnel lining concrete, H. Saito, H. Hasegawa and S. Nakane 138 (1992) 135
Degradation of concrete buried in soil with saline ground water, Y. Fujiwara, T. Maruya and E. Owaki 138 (1992) 143
Preliminary experimental study on the deterioration of cementitious materials by an acceleration method, H. Saito, S. Nakane, S. Ikari and A. Fujiwara 138 (1992) 151
Long term behavior of concrete in nuclear waste repositories, F. Jacobs and F.H. Wittmann 138 (1992) 157
Experimental study on the water permeability of a reinforced concrete silo for radioactive waste repository, K. Iriya, Y. Itoh, M. Hosoda, A. Fujiwara and Y. Tsuji 138 (1992) 165
Experimental determination and numerical simulation of the permeability of cementitious materials, G. Mayer, F. Jacobs and F.H. Wittmann 138 (1992) 171
Application of concrete to the treatment and disposal of radioactive waste in Japan, Y. Maki and H. Ohnuma 138 (1992) 179
Studies on material properties and structural mechanics of engineered barriers for HLW geological isolation, N. Sasaki, M. Yui, K. Hara, H. Ishikawa and T. Tsuboya 138 (1992) 189
Thermo-mechanical analyses of the HAW testfield, J. Prij and L.F.M. Hamilton 138 (1992) 203
Prediction of permeability changes in an excavation response zone, N. Kinoshita, T. Ishii, H. Kuroda and H. Tada 138 (1992) 217
A method for examining ground water flow and solute transport around a repository, A. Kobayashi and Y. Harada 138 (1992) 225

Nuclear safety

A review of fatigue failures in LWR plants in Japan, K. Iida 138 (1992) 297
Quantification of severe accidents source terms of BWR 4 reactor with Mark I containment using source term code package, M. Lee and G.D. Lee 138 (1992) 313
COMPBRN IIIe – a computer code for probabilistic fire risk analysis, V. Ho and G. Apostolakis 138 (1992) 357
Rewetting of hot horizontal tubes, A. Abdul-Razzak, M. Shoukri and A.M.C. Chan 138 (1992) 375